FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Facility Site Basic identification info	rmation for a facility site, including the facility registry identifier, geographic	address, and geo	opolitical descriptors.
Facility Registry Identifier	The identification number assigned by the EPA Facility Registry System to uniquely identify a facility site.	A(12)	
State Facility Identifier	The unique identification number used by a state to identify a facility site.	A(12)	
Facility Site Name	The public or commercial name of a facility site (i.e., the full name that commonly appears on invoices, signs, or other business documents, or as assigned by the state when the name is ambiguous).	A(80)	PERMIT FACILITY. NAM1 (Facility Name)
Location Address	The address that describes the physical (geographic) location of the front door or main entrance of a facility site, including urban-style street address or rural address.	A(50)	PERMIT FACILITY. RST1 (Facility Location Street (Line 1))
Supplemental Location Text	The text that provides additional information about a place, including a building name with its secondary unit and number, an industrial park name, an installation name or descriptive text where no formal address is available.	A(50)	PERMIT FACILITY. RST2 (Facility Location Street (Line 2))
Locality Name	The name of the city, town, village or other locality, when identifiable, within whose boundaries (the majority of) the facility site is located. This is not always the same as the city used for USPS mail delivery.	A(60)	PERMIT FACILITY. RCTY (Facility Location City) If RCTY, RST1, RST2, RSTT, RZIP are all blank, use PERMIT FACILITY. CYNM (City Name)

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
County and State FIPS Code	The code that represents the county or county equivalent and the state or state equivalent of the United States.	A(5)	PERMIT FACILITY. RSTT    CNTY (Facility Location State    County Code) If RSTT, RST1, RST2, RCTY, RZIP are all blank, use PERMIT FACILITY. STTE (State Code)
County Name	The name of the U.S. county or county equivalent in which the facility site is physically located.	A(35)	PERMIT FACILITY. CNTN (County Name)
State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	PERMIT FACILITY. RSTT (Facility Location State) If RSTT, RST1, RST2, RCTY, RZIP are all blank, use PERMIT FACILITY. STTE (State Code)
State Name	The name of a principal administrative subdivision of the United States, Canada, or Mexico.	A(35)	
Country Name	The name that represents a primary geopolitical unit of the world. <i>Default</i> : USA	A(44)	'USA'
Location ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location; or the postal zone specific to the country, other than the U.S., where the facility site is located.	A(14)	PERMIT FACILITY. RZIP (Facility Location ZIP Code)
Location Description	A brief explanation of where the facility site is located, including navigational directions and/or more descriptive information about the location of the facility site.	A(256)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Federal Facility Indicator Code	Code indicating whether or not the facility is the property of the Federal Government.	A(1)	'Y' {If PERMIT FACILITY.TYPO = 'FED'}
Tribal Land Indicator Code	Code indicating whether or not the facility site is located on tribal land.	A(1)	'Y' {If PERMIT FACILITY.HQ01 in ('I', 'N')}
Tribal Land Name	The name of an American Indian or Alaskan native area where the facility site is located.	A(200)	
Congressional District Number	The number that represents a Congressional District for a state within the United States.	A(2)	
Legislative District Number	The number that represents a Legislative District within a state.	A(2)	
Hydrologic Cataloging Unit (HUC) Code	The hydrologic unit code (HUC) that represents a geographic area representing part or all of a surface drainage basin, a combination of drainage basins, or a distinct hydrologic feature.	A(8)	PERMIT FACILITY. FHBC (Facility USGS Hydrologic Basin Code))
EPA Region Code	The code that represents an EPA region.	A(2)	PERMIT FACILITY. REGN (Region Code)
Airshed Code	An area of varying size that is dependent on a single air mass and that is uniformly affected by the same sources of air pollution.		
Census Block Code		A(15)	
Facility Site Type Name	The descriptive name for the type of site the facility occupies.  Allowable Values: Stationary Mobile Pipeline Contaminated Site Network	A(20)	'STATIONARY'
Source of Data	The source of the associated facility site data.	A(25)	'NPDES PERMIT'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Last Reported Date	The most recent date the corresponding facility site data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
<b>Environmental Inte</b> The environmental perm	erest hits and regulatory programs that apply to the facility site.		
Environmental Interest Type	The environmental permit or regulatory program that applies to the facility site.  Allowable Values: (examples)  Value NPDES Major NPDES Major NPDES Non-Major Clean Water Act NPDES Non-Major Clean Water Act NPDES Non-Major	A(60)	If PERMIT FACILITY. MADI (Major Discharge Indicator) = 'M' INTEREST_TYPE = 'NPDES MAJOR' Else INTEREST_TYPE = 'NPDES NON-MAJOR'
Environmental Information System Abbreviated Name	The abbreviated name that represents the name of an information management system for an environmental program.	A(20)	'PCS'
Environmental Information System Identification Number	The identification number, such as the permit number, assigned by an information management system that represents a facility site, waste site, operable unit, or other feature tracked by that Environmental Information System.	A(30)	PERMIT FACILITY. NPID (NPDES Number)
Fed/State Indicator Code	A flag which indicates whether the facility is tracked at the federal program level, or at the State program level only.  Allowable Values: 'F' or 'S'	A(1)	'F'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Environmental Interest Start Date	Date the agency became interested in the facility site for a particular environmental interest type.	Date	PERMIT FACILITY.ORID {Original Permit Issue Date} If ORID blank or invalid, set to null.
Environmental Interest Start Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest start date.  Allowable Values: (examples)  First Reporting Year Earliest Inspection Date  First Report Received Date Operations Start Date  First Report Postmark Date Monitoring Start Date  Original Permit Issue Date	A(50)	If START_DATE is populated, 'ORIGINAL PERMIT ISSUE DATE' Else, set to null.
Environmental Interest End Date	Date the agency ceased to be interested in the facility site for a particular environmental interest type.	Date	PERMIT FACILITY. IADT (Facility Inactive Date) {If PERMIT FACILITY. IACC (Facility Inactive Code) = 'I' (Inactive) or 'G' (Reissued as General Permit)
Environmental Interest End Date Qualifier	The qualifier that specifies the meaning of the date being used as an approximation for the environmental interest end date.  Allowable Values: (examples)  Facility Inactive Date Year Reporting Stopped De-registration Effective Date Permit Expiration Date Reissued as General Permit Date Operations End Date  Final Cleanup Date	A(50)	'FACILITY INACTIVE DATE' {I' PERMIT FACILITY.IACC = 'I'} 'REISSUED AS GENERAL PERMIT DATE' {If PERMIT FACILITY.IACC = 'G'}
Source of Data	The source of the associated environmental interest data.	A(25)	'NPDES PERMIT'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}	
Last Reported Date	The most recent date the corresponding environmental interest data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.	
Alternative Name An alternative, historic	or program-specific name for the facility site.			
Alternative Name	An alternative, historic or program-specific name for the facility site.	A(80)	PERMIT FACILITY.NAM1 (Facility Name)	
			PERMIT FACILITY.RNAM (Facility Location Name) {If different from NAM1}	
				PERMIT FACILITY.MNAM (Primary Mailing Name) {If different from NAM1 or RNAM
			PERMIT FACILITY.ANAM (Alternate DMR Mailing Name){If different from NAM1 or RNAM or MNAN}	
Alternative Name Type	The type of the alternative, historical, or program-specific name for the	A(25)	'PROGRAM NAME' {for NAM1}	
	facility site (e.g., primary, legal, historical, local).		'LOCATION NAME' {for RNAM}	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE, ACRONYM (DATA ELEMENT NAME) {COMMENTS}
			'PRIMARY MAILING NAME' {for MNAN}
			'ALTERNATE MAILING NAME' {for ANAM}
Source of Data	The source of the associated alternative name data.	A(25)	'NPDES PERMIT'
Last Reported Date	The most recent date the corresponding alternative name data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
Alternative Identifi An alternative identifier	ication for the facility, as maintained by an information management system for an e	environmental p	rogram.
Alternative Identification Number Type	The type of alternative identification number (e.g., CDS, STATE PERMIT NUMBER), or the abbreviated name of the environmental information system that references the alternative identification number (e.g., TRIS, PCS).	A(30)	'STATE PERMIT NUMBER'
Alternative Identification Number	An alternative identification number maintained by an information management system for an environmental program.	A(30)	PERMIT FACILITY.STNO (State Permit Number)
Source of Data	The source of the associated alternative identification data.	A(25)	'NPDES PERMIT'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION		PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Last Reported Date	The most recent date the corresponding alternative identification data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
	nates et of points, defined by latitude and longitude coordinates used to locate a faci accuracy, and description data.	lity site, usually the	e front door or centroid, including
Latitude Measure	The measure of the angular distance on a meridian north or south of the equator.	A(6) - A(10) DD.dddddd	PERMIT FACILITY.FLAT (Facility Latitude)
			PIPE SCHEDULE.PLAT (Pipe Latitude)
Longitude Measure	The measure of the angular distance on a meridian east or west of the prime meridian.	A(7) - A(11) DDD.dddddd	PERMIT FACILITY.FLON (Facility Longitude)
			PIPE SCHEDULE.PLON (Pipe Longitude)
Horizontal Accuracy Measure	The measure of the accuracy (in meters) of the latitude and longitude coordinates.	A(6) in meters	PERMIT FACILITY.FLLC (Facility Latitude/Longitude Code of Accuracy)
			PIPE SCHEDULE.PLLC (Pipe Latitude/Longitude Code of Accuracy)

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Geometric Type (Textua	al Data or Code Data acceptable)		
Code	The code that represents the geometric entity represented by one point or a sequence of latitude and longitude points.	A(3)	
Name	The name that identifies the geometric entity represented by one point or a sequence of latitude and longitude points.	A(6)	
Horizontal Collection M	lethod (Textual Data or Code Data acceptable)		
Code	The code that represents the method used to determine the latitude and longitude coordinates for a point on the earth.	A(3)	PERMIT FACILITY.FLLM (Facility Latitude/Longitude Method)
			PIPE SCHEDULE.PLLM (Pipe Latitude/Longitude Method)
Text	The text that describes the method used to determine the latitude and longitude coordinates for a point on the earth.	A(60)	
Horizontal Reference Da	atum (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used in determining latitude and longitude coordinates.	A(3)	PERMIT FACILITY.FLLT (Facility Latitude/Longitude Datum)
			PIPE SCHEDULE.PLLT (Pipe Latitude/Longitude Datum)
Name	The name that describes the reference datum used in determining latitude and longitude coordinates.	A(7)	
Reference Point (Textua	l Data or Code Data acceptable)		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Code	The code that represents the place for which geographic coordinates were established.	A(3)	PERMIT FACILITY.FLLD (Facility Latitude/Longitude Description)
			PIPE SCHEDULE.PLLD (Pipe Latitude/Longitude Description)
Text	The text that identifies the place for which geographic coordinates were established.	A(60)	
Source Map Scale Number	The number that represents the proportional distance on the ground for one unit of measure on the map or photo.  *Remarks: Mandatory for all horizontal data collection methods except for methods using Global Positioning System (GPS).	A(10)	PERMIT FACILITY.FLLS (Facility Latitude/Longitude Scale)
			PIPE SCHEDULE.PLLS (Pipe Latitude/Longitude Scale
Data Collection Date	The calendar data when data were collected.	Date (YYYYMMDD)	
Coordinate Data Source	(Textual Data or Code Data acceptable)		
Code	The code that represents the party responsible for providing the latitude and longitude coordinates.	A(3)	
Name	The name of the party responsible for providing the latitude and longitude coordinates.	A(35)	
Location Comments Text	The text that provides additional information about the geographic coordinates.	A(150)	
Vertical Measure	The measure of elevation (i.e., the altitude), in meters, above or below a reference datum.	A(10) in meters	
Vertical Collection Metl	nod (Textual Data or Code Data acceptable)		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE, ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Code	The code that represents the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(3)	
Text	The text that describes the method used to collect the vertical measure (i.e., the altitude) of a reference point.	A(60)	
Vertical Reference Datu	m (Textual Data or Code Data acceptable)		
Code	The code that represents the reference datum used to determine the vertical measure (i.e., the altitude).	A(3)	
Name	The name of the reference datum used to determine the vertical measure (i.e., the altitude).	A(17)	
Vertical Accuracy Measure	The measure of the accuracy (in meters) of the vertical measure (i.e., the altitude) of a reference point.	A(8) in meters	
Sub-Entity	The identification number for an operable unit or sub-unit of a facility site.	A(30)	
Identification Number			PIPE SCHEDULE.DSDG (Discharge Number/Report Designator)
Sub-Entity Type Name	The code that represents the type of operable unit, or sub-unit of a facility site (i.e., stack, sampling point).	A(4)	
			'4' (code for 'End of Discharge Point')
Source of Data	The source of the associated geographic coordinates data.	A(25)	'NPDES PERMIT'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Last Reported Date	The most recent date the corresponding geographic coordinates data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.

## **Organization Affiliate**

A company, government body, or other type of organization that has some responsibility or role at the Facility Site.

\*Remarks:\* There are two possible Organization Affiliates; one for 'OWNER' and the other for 'OPERATOR'. Values corresponding to 'OWNER' are shaded.

Affiliation Type	The name that describes the capacity or function that an organization serves for a facility site.  Allowable Values (examples):  Owner/Operator Responsible Party  Operator Parent Company  Owner	A (40)	'OWNER' 'OPERATOR'
Affiliation Start Date	The date on which the affiliation between the facility site and the organization began.		{Null for initial population. For future updates, populate with extract date for "Inserts" (new records).}
Affiliation End Date	The date on which the affiliation between the facility site and the organization ended.	Date	{Null for initial population. For future updates, populate with extract date for "Deletes" (deleted records)}.
E-mail Address	The text that describes an electronic mail address of an organization.	A(120)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Telephone Number	The primary telephone number of an organization affiliated with the facility site.	A(30)	PERMIT FACILITY.OTEL (Owner Telephone Number)
			PERMIT FACILITY.ETEL (Operator Telephone Number)
FAX Number	The telephone number to which a facsimile can be sent to an organization affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an organization affiliated with the facility site.	A(30)	
Organization Formal Name	The legal, formal name of an organization that is affiliated with the facility site.	A(80)	PERMIT FACILITY.ONAM (Owner Name)
			PERMIT FACILITY.ENAM (Operator Name)
Organization DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments.	A(9)	
Organization Type	The type of organization (e.g., federal, state, private).  Allowable Values (examples): Federal Indian State Public County Private District Public Private Municipal Government-Owned Contractor Operated Other	A(10)	PERMIT FACILITY.TYPO (Type of Ownership) 'BPP' 'PUBLIC PRIVATE' 'FED' 'FEDERAL' 'PRI' 'PRIVATE' 'PUB' 'PUBLIC' 'STA' 'STATE' Else, set to null.

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE, ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Employer Identification Number	The unique tax identification number issued by the Internal Revenue Service to the employer.	A(14)	
State Business Identification Number	The uniform business number assigned to an official business by a state.	A(30)	
Ultimate Parent Name	The legal, formal name of the ultimate parent company of the organization affiliated with the facility site.	A(50)	
Ultimate Parent DUNS Number	The Data Universal Numbering System (DUNS) number assigned by Dun and Bradstreet to identify unique business establishments, in this case the ultimate U.S. parent company of the organization affiliated with the facility site	A(9)	
Source of Data	The source of the associated organization data.	A(25)	'NPDES PERMIT'
Last Reported Date	The most recent date the corresponding organization interest data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
	s it relates to Organization) ed to send mail to an individual or organization affiliated with the facility site	·	
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	PERMIT FACILITY.OST1 (Owner Street (Line 1 of 2))
			PERMIT FACILITY.EST1 (Operator Street (Line 1 of 2))

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local	A(50)	PERMIT FACILITY.OST2 (Owner Street (Line 2 of 2))
	box numbers not serviced by the U.S. Postal Service.		PERMIT FACILITY.EST2 (Operator Street (Line 2 of 2))
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	PERMIT FACILITY.OCTY (Owner Address - City Name)
			PERMIT FACILITY.ECTY (Operator Address - City Name)
Mailing Address State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	PERMIT FACILITY.OSTT (Owner Address - State Code)
			PERMIT FACILITY.ESTT (Operator Address - State Code)
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal Service to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.	A(14)	PERMIT FACILITY.OZIP (Owner Address - ZIP Code)
			PERMIT FACILITY.EZIP (Operator Address - ZIP Code)
Source of Data	The source of the associated mailing address data.	A(25)	'NPDES PERMIT'

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
<b>Individual Affiliate</b> An individual person w	ho has some responsibility or role at the facility site.		
Affiliation Type	The name that describes the capacity or function that an individual serves for a facility site.  Allowable Values (examples):  Regulatory Contact Cognizant Official  Public Contact Responsible Party  Technical Contact Emergency Contact	A (40)	'COGNIZANT OFFICIAL'
Affiliation Start Date	The date on which the affiliation between the facility site and the individual person began.	Date	{Null for initial population. For future updates, populate with extract date for "Inserts" (new records).}
Affiliation End Date	The date on which the affiliation between the facility site and the individual person ended.	Date	{Null for initial population. For future updates, populate with extract date for "Deletes" (deleted records)}.
E-mail Address	The text that describes an electronic mail address of an individual person affiliated with the facility site.	A(120)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Telephone Number	The primary telephone number of an individual person affiliated with the facility site.	A(30)	PERMIT FACILITY.TELE (Cognizant Official Telephone)
FAX Number	The telephone number to which a facsimile can be sent to an individual person affiliated with the facility site.	A(30)	
Alternate Telephone Number	An alternate telephone number of an individual person affiliated with the facility site.	A(30)	
Individual Full Name	The complete name of a person, including first name, middle name or initial, and surname.	A(70)	PERMIT FACILITY.OFFL (Cognizant Official)
Individual Title Text	The title held by a person in an organization.	A(40)	
Source of Data	The source of the associated individual data.	A(25)	'NPDES PERMIT'
Last Reported Date	The most recent date the corresponding individual data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.

Mailing Address (related to Facility)

The standard address used to send mail to an individual or organization affiliated with the facility site.

{There are two possible facility mailing addresses; values corresponding to 'PRIMARY MAILING ADDRESS' are shaded.}

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Affiliation Type	The name that describes the type of mailing address affiliated with the facility site.	A (40)	'PRIMARY MAILING ADDRESS'
	Allowable Values (examples): Primary Mailing Address Alternate Mailing Address		'ALTERNATE MAILING ADDRESS'
Mailing Address	The exact address where a mail piece is intended to be delivered, including urban-style street address, rural route, and PO Box.	A(50)	PERMIT FACILITY.MST1 (Primary Mailing Street (Line 1))
			PERMIT FACILITY.AST1 (Alternate DMR Mailing Street (Line 1))
Supplemental Address Text	The text that provides additional information to facilitate the delivery of a mail piece, including building name, secondary units, and mail stop or local box numbers not serviced by the U.S. Postal Service.	A(50)	PERMIT FACILITY.MST2 (Primary Mailing Street (Line 2))
			PERMIT FACILITY.AST2 (Alternate DMR Mailing Street (Line 2))
Mailing Address City Name	The name of the city, town, or village where the mail is delivered.	A(30)	PERMIT FACILITY.MCTY (Primary Mailing City)
			PERMIT FACILITY.ACTY (Alternate DMR Mailing City)
Mailing Address State USPS Code	The U.S. Postal Service abbreviation that represents the state or state equivalent for the U.S. and Canada.	A(2)	PERMIT FACILITY.MSTT (Primary Mailing State)
			PERMIT FACILITY.ASTT (Alternate DMR Mailing State)
Mailing Address State Name	The name of the state where mail is delivered.	A(35)	

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
Mailing Address Country Name	The name of the country where the addressee is located. <i>Default</i> : United States	A(44)	
Mailing Address ZIP Code	The combination of the 5-digit Zone Improvement Plan (ZIP) code and the four-digit extension code (if available) that represents the geographic segment that is a subunit of the ZIP Code, assigned by the U.S. Postal	A(14)	PERMIT FACILITY.MZIP (Primary Mailing ZIP Code)
	Service to a geographic location to facilitate mail delivery; or the postal zone specific to the country, other than the U.S., where the mail is delivered.		PERMIT FACILITY.AZIP (Alternate DMR Mailing ZIP Code)
Source of Data	The source of the associated mailing address data.	A(25)	'NPDES PERMIT'
Last Reported Date	The most recent date the corresponding mailing address data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.
Standard Industria Definition: The Standard Industrial Standard Industrial Classification (SIC) Code	Classification  Classification (SIC), or type of business activity, occurring at the facility site  The code that represents the economic activity of a company (4-digits).	A(4)	PERMIT FACILITY. SIC2 (SIC Code - 1987 Facility Description)

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}	
SIC Primary Indicator	The name that indicates whether the associated SIC Code represents the primary activity occurring at the facility site.  Allowable Values:  Value Primary The SIC Code represents the primary activity occurring at the facility site.  Secondary The SIC Code represents a secondary activity occurring at the facility site.  Unknown It is not known whether the SIC Code represents the primary or secondary activity at the facility site.	A(10)	'UNKNOWN'	
Source of Data	The source of the associated SIC data.	A(25)	'NPDES PERMIT'	
Last Reported Date	The most recent date the corresponding SIC data was reported to the Source of Data.	Date	PERMIT EVENT.APRD (Application Received Date) If APRD blank or invalid, PERMIT EVENT.PERD (Permit Date Issued) If PERD blank or invalid, PERMIT EVENT.PEFD (Permit Date Effective) Else, set to null.	
North American Industry Classification The North American Industry Classification System (NAICS) code, or type of industrial activity, occurring at the facility site. {No NAICS data.}				
North American U.S. National Industry Classification System (NAICS) Code	The code that represents a subdivision of an industry that accommodates user needs in the United States (6-digits).	A(6)		

FRS DATA ELEMENT NAME	FRS DATA ELEMENT DEFINITION	FORMAT	PCS DATA TYPE.ACRONYM (DATA ELEMENT NAME) {COMMENTS}
NAICS Primary Indicator	The name that indicates whether the associated NAICS Code represents the primary activity occurring at the facility site.  Allowable Values:  Value Primary The NAICS Code represents the primary activity occurring at the facility site.  Secondary The NAICS Code represents a secondary activity occurring at the facility site.  Unknown It is not known whether the NAICS Code represents the primary or secondary activity at the facility site.	e A(10)	
Source of Data	The source of the associated NAICS data.	A(25)	
Last Reported Date	The most recent date the corresponding NAICS data was reported to the Source of Data.	Date	